### SECTION 1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier 501P	High pH Presoak
1.2 Relevant identified uses of the substance or mixture and uses advised against	Alkaline Presoak
1.3 Details of the supplier of the safety data sheet	Kidd Wash/ Parker Distributing Company, INC
	4701 West F. M. Road 3331 Canyon, Texas 79015
1.4 Emergency telephone number	INFOTRAC 1 – 800 – 535 - 5053

### SECTION 2 Hazards identification

#### 2.1 Classification of the substance or mixture

Classified in	Skin Corrosion/Irritation Category 1B	
accordance to (EC) No. 1272/2008	Serious Eye Damage/Eye Irritation Category 1	

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 [CLP]

Hazard pictograms



#### Signal Word

Hazard Statements Precautionary Statements	<ul> <li>H314 - Causes severe skin burns and eye damage.</li> <li>P260 - Do not breathe dust/fume/gas/mist/vapours/spray.</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing</li> </ul>
	rinsing. P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P363 - Wash contaminated clothing before reuse.P405 - Store locked up.

Supplemental Hazard	No data available
information (EU)	

#### 2.3 Other hazards No data available

#### **SECTION 3 Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Chemical Name	%	CAS #	(EC) No 1272/2008	M Factor	SCL
Butyl Oxitol	1-10	111-76-2	Acute Tox. 4; H312 Acute Tox. 4; H332 Eye Irrit. 2; H319 Skin Irrit. 2; H315	No data available	No data available
potassium hydroxide	>1	1310-58-3	Acute Tox. 4; H332 Skin Corr. 1B; H314	No data available	No data available
ethylenediaminetetraacetic acid	>1	6381-92-6	Acute Tox. 4 (Oral) H302 Skin Irrit. 2 H315 Eye Irrit. 2A H319 STOT SE 3 H335	No data available	No data available
Alkylphenylpolyethylene glycol	>1	127087-87-0	Acute Tox. 4; H312 Acute Tox. 4; H332 Skin Corr. 1B; H314	No data available	No data available
Pyrophosphoric acid	>1	7320-34-5	Warning	No data available	No data available

### For full text of H-statements; See Section 16

#### **SECTION 4 First aid measures**

#### 4.1 Description of first aid measures

- Inhalation Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately No data available
- **Eye Contact** Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. This corrosive material can cause immediate and permanent eye damage. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician. Flush eye with water for 20 minutes. Get medical attention.

Skin Contact	Wash with soap and water under a drench shower. Remove contaminated clothing, launder immediately, and discard contaminated leather goods. Get medical attention immediately. Seek medical advice if symptoms persist
Ingestion	Corrosive. Do not induce vomiting! Drink one glass of water followed by milk if available. Seek medical attention immediately and give the medical care provider with this MSDS. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person
Self protection of the first aider	No data available

### 4.2 Most important symptoms and effects, both acute and delayed

Symptom See Section 4.1

#### 4.3 Indication of any immediate medical attention and special treatment needed

Note to Doctor No additional first aid information available

#### SECTION 5 Firefighting measures

5.1 Extinguishing media				
Suitable extinguishing media	Use alcohol resistant foam, carbon dioxide, dry chemical, or water spray when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire. Do not direct a water stream directly into the hot burning liquid. Water spray Alcohol foam Dry chemical Carbon dioxide			
Unsuitable extinguishing media	No data available			
5.2 Special hazards arising from the substance or mixture				
Fire and/or Explosion Hazards	Material may be ignited if preheated to temperatures above the flash point in the presence of a source of ignition.			
Hazardous Combustion Products	Carbon monoxide, Carbon dioxide			
5.3 Advice for firefighters				
Fire Fighting Methods and Protection	Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products.			

## SECTION 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures	
For Non-emergency Personnel	Non-emergency personnel should be kept clear of the area.
For emergency responders	Exposure to the spilled material may be severely irritating or

	toxic. Follow personal protective equipment recommendations found in Section VIII of this MSDS. Personal protective equipment needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure limits.
6.2 Environmental precautions	No data available
6.3 Methods and material for containment and cleaning up	No special spill clean-up considerations. Collect and discard in regular trash. LARGE SPILLS: Shut off leak if safe to do so. Use an inert absorbent such as sand or vermiculite. Place in properly labeled closed container.
6.4 Reference to other sections	Refer to section 13 for disposal information.
SECTION 7 Handling and storage	
7.1 Precautions for safe handling	Toxic or severely irritating material. Avoid contacting and avoid breathing the material. Use only in a well ventilated area. No special handling requirements
7.2 Conditions for safe storage, including any incompatibilities	Store in a cool dry place. Isolate from incompatible materials. Keep from freezing,
7.3 Specific end use(s)	Automotive detailing

## SECTION 8 Exposure controls/personal protection

### **Occupational Exposure limit values**

Chemical Name	ACGIH TLV-TWA	ACGIH STEL	IDLH
Butyl Oxitol	20 ppm	No data available	No data available

### 8.2 Exposure controls

Appropriate engineering controls	Local exhaust ventilation, process enclosures, or other engineering controls are necessary when handling or using this product to avoid overexposure.
Individual protection measures, suc	ch as personal protective equipment
Eye and face protection	Wear chemical splash goggles when handling this product. Additionally, wear a face shield when the possibility of splashing of liquid exists. Do not wear contact lenses. Have an eye wash station available. Wear goggles and a Face shield
Hand protection	No information available
Other skin protection	Avoid skin contact by wearing chemically resistant gloves, an apron and other protective equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash

hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield

Respiratory ProtectionRespiratory protection must be used when handling this product.<br/>Use respirators only if ventilation cannot be used to eliminate<br/>symptoms or reduce the exposure to below acceptable levels. A<br/>supplied air type respirator may be required. Follow a respiratory<br/>protection program that meets 29 CFR 1910.134 and ANSI Z88.2<br/>requirements whenever work place conditions warrant the use of<br/>a respirator. A supplied air type respiratory will be required.Thermal hazardsNo data available

Environmental exposure controls No data available

#### **SECTION 9 Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance	Liquid
Colour	Orange
Odour	Citrus
Odour Threshold	No data available
рН	> 11.5
Initial boiling point and boiling range (°C)	100
Flash Point (°C)	66
Evaporation Rate	No data available
Flammability (Solid, gas)	No data available
Upper/lower flammability or explosive limits	
Upper Flammable/Explosive Limit, % in air	No data available
Lower Flammable/Explosive Limit, % in air	No data available
Vapour Pressure	No data available
Vapour Density	No data available
Relative Density	1.05
Solubility(ies)	Complete; 100%
Partition coefficient: n- octanol/water	No data available
Decomposition Temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available
9.2 Other information	No data available

#### SECTION 10 Stability and reactivity

10.1 Reactivity	No data available
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	No data available
10.4 Conditions to avoid	No data available
10.5 Incompatible materials	Strong oxidizing agents; Strong acids
10.6 Hazardous decomposition products	Carbon dioxide Carbon monoxide

#### **SECTION 11 Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute Toxicity**

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

	рН	> 11.5
--	----	--------

Classification is based on pH and the components listed in Section 3.

#### Serious eye damage/irritation

	рН	> 11.5
--	----	--------

Classification is based on pH and the components listed in Section 3.

#### Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

12.1 Toxicity	No data a	available			
Ecotoxicity Data	1				
Chemical Name	CASN	Number	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available					
12.2 Persistence and degradability	No data a	available			
12.3 Bioaccumulative potential	No data	All ingredier	nts are considered b	biodegradable.	
12.4 Mobility in soil	No data available				
12.5 Results of PBT and vPvB assessment	No data a	available			
12.6 Other adverse effects	No data available				
12.7 Additional information	No data available				
SECTION 13 Disposal cons	sideration	S			
13.1 Waste treatment met	hods				
Waste Description for Sp Product	ent	Spent or di	iscarded material m	ay be a hazardous v	vaste.
Disposal Methods			by incineration follor regulations.	owing Federal, State	Local, or
Waste Disposal Code(s) (European Waste Catalog	jue)	W070699			
SECTION 14 Transport information					
Ground: 14.1 UN number:		UN1813			
14.2 UN proper shipping	name:	POTASSIU	M HYDROXIDE, SOL	ID Transport hazard	class(es): 8
14.3 Packing group:		III			
Exemptions:		Limited Qu	uantity		
Air:					
14.1 UN number:		UN1813			
14.2 UN proper shipping	name:	POTASSIU	M HYDROXIDE, SOL	ID	

14.3 Transport hazard class(es):	8
14.4 Packing group:	III
Water:	
14.1 UN number:	UN1813
14.2 UN proper shipping name:	POTASSIUM HYDROXIDE, SOLID
14.3 Transport hazard class(es):	8 Corrosive
14.4 Packing group:	Ш
Exemptions:	Limited Quantity
14.5 Environmental hazards:	No
14.6 Special precautions for user:	No data available
14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:	No data available

## SECTION 15 Regulatory information

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical Name	EINECS	<u>SVHC</u>
Butyl Oxitol	Y	Ν
Tetrasodium Ethylenediamine Tetraacetate	Y	N
Sodium hydroxide	Y	N

### 15.2 Chemical safety assessment No data available

## SECTION 16 Other information

SDS Abbreviations:	No data available
References:	No data available
Hazard phrase(s) referenced in section 3	H302 - Harmful if swallowed.
	H312 - Harmful in contact with skin.
	H314 - Causes severe skin burns and eye damage.
	H315 - Causes skin irritation.
	H318 - Causes serious eye damage.
	H319 - Causes serious eye irritation.
	H332 - Harmful if inhaled.
	H336 - May cause drowsiness or dizziness.

Precautionary Statements	
Prevention	P210 - Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
	P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
	P264 - Wash thoroughly after handling.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Response	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
	P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
	P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310 - Immediately call a poison center/doctor/
	P321 - Specific treatment (see on this label).
	P363 - Wash contaminated clothing before reuse.
	P370+P378 - In case of fire: Use for extinction.
Storage	P403+P235 - Store in a well-ventilated place. Keep cool.
	P405 - Store locked up.
Disposal	P501 - Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.

NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances