

**Product Name: Blue Glowing Wax** 

Product identifier: 1360 Revision Date: 03-13-2022

Replaces:

# **Kidd Wash Chemicals**

#### 1. Identification

Product Name: Blue Glowing Wax

Product identifier: 1160

Relevant identified uses of the substance or mixture and uses

advised against:

Car Wash-Foaming Colored Wax

**Chemical Manufacturer /** Parker Distributing Company

4701 West F. M. Road 3331 Canyon, Texas 79015

Emergency telephone number: INFOTRAC 1-800-535-5053

### 2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

**GHS Hazard** 

Symbols:

GHS Classification: Skin Corrosion/Irritation Category 1B

Serious Eye Damage/Eye Irritation Category 1

GHS Signal Word: Warning

**GHS Hazard Statements:** Causes severe skin burns and eye damage.

**GHS Precautionary Statements:** 

**Safety Precautions:** Do not breathe dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

First Aid Measures: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable

for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

Page 1 of 8

**Product Name: Blue Glowing Wax** 

Product identifier: 1360 Revision Date: 03-13-2022

Replaces:

Immediately call a POISON

CENTER/doctor/....

Specific treatment (see on this label). Wash contaminated clothing before reuse.

Storage: Store locked up.

**Disposal:** Dispose of contents/container in accordance with

local/regional/national/international regulation for hazardous wastes.

Hazards not otherwise

4. First-aid measures

classified:

No data available

## 3. Composition/information on ingredients

Chemical Component:	CAS number and other unique identifiers	% (or range) of ingredient
Distillates (petroleum) hydrotreated	64742-46-7	10 - 20
Quaternary ammonium compounds	61789-77-3	10 - 20
2-butoxyethanol	111-76-2	1-5
Quaternized Silicone Polymer	Trade Secret	

the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret is required.

Eye Contact:	Immediately flush eyes with plenty of water for at least 20 minutes
	retracting eyelids often. This corrosive material can cause
	immediate and permanent eye damage. Tilt the head to prevent
	chemical from transferring to the uncontaminated eye. Get
	immediate medical attention and monitor the eye daily as advised
	by your physician. Flush eye with water for 20 minutes. Get medical attention.
Skin Contact:	Wash with soap and water under a drench shower. Remove
	contaminated clothing, launder immediately, and discard
	contaminated leather goods. Get medical attention immediately.
	Wash with soap and water. Get medical attention if irritation
	develops or persists.
Inhalation:	Remove to fresh air. If breathing is difficult, have a trained
	individual administer oxygen. If not breathing, give artificial
	respiration and have a trained individual administer oxygen. Get
	medical attention immediately
Ingestion:	Corrosive. Do not induce vomiting! Drink one glass of water

followed by milk if available. Seek medical attention immediately

**Product Name: Blue Glowing Wax** 

Product identifier: 1360 Revision Date: 03-13-2022

Replaces:

and give the medical care provider with this MSDS. If swallowed, do NOT induce vomiting. Give victim a glass of water or milk. Call a

physician or poison control center immediately. Never give

anything by mouth to an unconscious person.

**Immediate medical attention** No additional first aid information available **and special treatment needed**;:

## 5. Fire-fighting measures

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when

fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do Not direct a stream of water into the hot

burning liquid.

Unsuitable extinguishing media: No data available

**Fire and/or Explosion Hazards:** Material will not ignite or burn. **Hazardous Combustion** Carbon dioxide, Carbon monoxide

**Products:** 

**Special protective equipment** Will not burn, no special instructions available. Use methods

and precautions for fire- appropriate for surrounding materials.

fighters:

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Exposure to the spilled material may be severely irritating or toxic. Follow personal protective equipment recommendations found in Section VIII of this MSDS. Personal protective equipment needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill.

Never exceed any occupational exposure limits.

Methods and material for

No special spill clean-up considerations. Collect and discard in

containment and cleaning up: regular trash.

**Product Name: Blue Glowing Wax** 

Product identifier: 1360 Revision Date: 03-13-2022

Replaces:

## 7. Handling and storage

Precautions for safe handling: Toxic or severely irritating material. Avoid contacting and avoid

breathing the material. Use only in a well ventilated area. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Use with adequate ventilation Minimize dust generation and accumulation "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Remove contaminated

clothing and wash before reuse

Conditions for safe storage: No special requirements Limit quantity of material stored. Store

in a tightly closed container Store in a cool dry place Keep

away from food and drinking water.

Materials to Avoid/Chemical

Incompatibility::

Strong oxidizing agents Strong acids

### 8. Exposure controls/personal protection

#### **Limits:**

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL
None			

Appropriate engineering controls.:

Local exhaust ventilation, process enclosures, or other engineering controls are necessary when handling or using this product to avoid overexposure. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Ventilation is required to maintain operator exposure below published exposure limits. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits Facilities storing or using this

material should be equipped with an eyewash and safety shower.

**Eye Protection:** Wear chemical splash goggles when handling this product.

Additionally, wear a face shield when the possibility of splashing of liquid exists. Do not wear contact lenses. Have an eye wash station

available. Wear goggles and a Face shield

**Skin Protection:** Avoid skin contact by wearing chemically resistant gloves, an apron

and other protective equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and

other exposed areas with mild soap and water before eating, drinking, and when leaving work. Where contact is likely, wear

**Product Name: Blue Glowing Wax** 

Product identifier: 1360 Revision Date: 03-13-2022

Replaces:

chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield

Respiratory Protection: Respiratory protection must be used when handling this product. Use

respirators only if ventilation cannot be used to eliminate symptoms or reduce the exposure to below acceptable levels. A supplied air type respirator may be required. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator. A supplied air type respiratory will be required.

Other Protective Equipment: Wear goggles and a Face shield Where contact is likely,

wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield

General Hygiene Conditions: As with all chemicals, good industrial hygiene practices should be

followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Use with adequate ventilation Minimize dust generation and accumulation "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Remove

contaminated clothing and wash before reuse

#### 9. Physical and chemical properties

Appearance (physical state):

Color:

Odor:

Liquid

Blue

Cherry

Odor threshold:

pH:

No data available

No data available

No data available

No data available

Initial Boiling Point and Boiling Range (°C): 100 Flash Point (°C): >126

**Evaporation Rate:** No data available Flammability (solid, gas): No data available **Upper Flammable/Explosive Limit:** No data available **Lower Flammable/Explosive Limit:** No data available **Vapor Pressure:** 17.5 MMHG@20C/68F **Vapor Density:** No data available **Relative Density:** Not determined Solubility(ies): No data available Partition coefficient: n-octanol/water: No data available **Auto-ignition Temperature (°C):** No data available **Decomposition Temperature::** No data available **Viscosity:** No data available

**Product Name: Blue Glowing Wax** 

Product identifier: 1360 Revision Date: 03-13-2022

Replaces:

10. Stability and reactivity

Reactivity: No data available

**Chemical stability:** Stable under normal conditions.

Conditions to avoid: None known. .

**Incompatible materials:** Strong oxidizing agents Strong acids

11. Toxicological information

Likely routes of exposure

(inhalation, ingestion, skin and eye contact):

Inhalation, Ingestion, Skin contact, Eye contact

eye contact).

Immediate (Acute) Health Effects by Route of Exposure:

**Inhalation Irritation:** Can be corrosive to the respiratory tract causing severe irritation and tissue damage.

Slightly irritating to the respiratory tract.

**Skin Contact:** Corrosive to skin tissue. Can cause chemical burns. May cause skin irritation.

**Skin Absorption:** No absorption hazard in normal industrial use.

**Eye Contact:** Corrosive to eye tissue. Can cause severe irritation, tearing, and burns that can

quickly lead to permanent injury including blindness. Substance causes severe

irritation. Permanent eye injury may result.

**Ingestion Irritation:** Corrosive to tissue. Can cause severe and permanent damage to mouth, throat,

stomach. Aspiration may lead to lung damage. Harmful if swallowed.

**Ingestion Toxicity:** Harmful if swallowed. May cause systemic poisoning.

Long-Term (Chronic) Health Effects:

**Carcinogenicity:**None of the substances have been shown to cause cancer in long term animal

studies. Not a carcinogen according to NTP, IARC, or OSHA.

Reproductive and No data available to indicate product or any components present at greater than

**Developmental Toxicity:** 0.1% may cause birth defects.

**Mutagenicity:**No data available to indicate product or any components present at greater than

0.1% is mutagenic or genotoxic.

**Inhalation:** Upon prolonged and/or repeated exposure, can be corrosive to the respiratory tract

causing severe irritation and tissue damage.

**Skin Contact:** Upon prolonged or repeated contact, corrosive to skin tissue. Can cause chemical

burns.

**Skin Absorption:** Upon prolonged or repeated exposure, no hazard in normal industrial use.

#### **Component Toxicology Data**

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
No data available			

**Product Name: Blue Conditioner** 

Product identifier: 1160 Revision Date: 03-13-2022

Replaces:

Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No data available			

### 12. Ecological information

Ecotoxicity (aquatic and

This material is not expected to be harmful to the ecology.

terrestrial, where available):

Persistence and degradability: No data available
Mobility in soil: No data available
Other adverse effects (such as No data available

hazardous to the ozone layer):

**Ecological Toxicity Data** 

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available			

# 13. Disposal considerations

**Description of waste residues:** Spent or discarded material is non-hazardous according to

environmental regulations.

Waste treatment methods

(including packaging):

Dispose of in a landfill. Disposal is not likely to be regulated.

### 14. Transport information

**UN proper shipping name:** Refer to bill of lading or container label for DOT or other

transportation hazard classification, if any.

### 15. Regulatory information

**TSCA Status:** All components in this product are on the TSCA Inventory.

**Regulated Components:** 

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
No data available					

**Product Name: Blue Glowing Wax** 

Product identifier: 1360 Revision Date: 03-13-2022

Replaces:

16. Other information, including date of preparation or last revision.

**Revision Date:** 03-13-2022

Revision Number: 1

Disclaimer: NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances